



STATE OF MAINE
DEPARTMENT OF TRANSPORTATION
16 STATE HOUSE STATION
AUGUSTA, MAINE
04333-0016

JOHN ELIAS BALDACCI
GOVERNOR

DAVID A. COLI
COMMISSIONER

May 21, 2003
Subject: Presque Isle, Castle Hill and Mapleton
Project No. STP-A056(000)X;
STP-1210(100)X
PIN 10560.00 & 12101.00
Bid Amendment No. 1

Dear Sir/Ms.:

Please make the following change to your Bid Package..

In the "General Notes" on page 3 of 3 add the following note # 32.

32. Dredge Material (See MDOT Standard Specifications § 101.2) is regulated as a Special Waste. Fifty cubic yards or less of Dredge Material **Beneficially Used in the area adjacent to and draining into the dredged water body** is exempt from regulation. The Contractor shall ensure that Dredge Material is placed into the fill areas specified by MDOT. No more than the fifty cubic yards (38 cubic meters) of Dredge Material may be excavated without authorization from the Engineer. Any Dredge Material not Beneficially Used (excess Dredge Material) shall be disposed of at a landfill licensed by the Maine Department of Environmental Protection to accept Special Waste. The Contractor shall be responsible for making all necessary arrangements for dewatering and proper disposal of the Dredge Material, including any additional laboratory testing, in accordance with the landfill's license. The Contractor shall provide documentation to the Engineer that any such Dredge Material was disposed of as specified.

Please make this change in Pen and ink.

Consider this change prior to submitting your bid on May 28, 2003.

Sincerely,

Bruce R. Carter
Contracts Engineer



PRINTED ON RECYCLED PAPER

